Adult Kidney Transplant Recipient Follow-Up Worksheet

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI[®] application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI[®] application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information		
Name:		DOB:
SSN:		Gender:
HIC:		Tx Date:
Previous Follow-Up:		Previous Px Stat Date:
Transplant Discharge Date:		
State of Permanent Residence: *		
Zip Code: *	-	
Provider Information		
Recipient Center:		
Followup Center:		
Physician Name: *		
NPI#:*		
Follow-up Care Provided By: *	Transplant Center	
	Non Transplant Co	enter Specialty Physician
	OPrimary Care Phys	sician
	Other Specify	
Specify:		
Donor Information		
UNOS Donor ID #:		
Recovering OPO:		
Donor Type:		
Patient Status		
Date: Last Seen, Retransplanted or Death*		
Patient Status: *		
	DEAD	
	RETRANSPLANTE	D
	NOT SEEN	
Primary Cause of Death:		
Specify:		
Contributory Cause of Death:		
Specify:		
Contributory Cause of Death:		
Specify:		
Has the patient been hospitalized since the last patient status date: $\ensuremath{\mathbf{\ast}}$		
Convigent @ 2022 United	Notwork for Orgo	n Sharing All rights recorded OPTN use only 08

TRR Diagnosis:	Disease Recurrence:
Diagnosis:	ONo recurrence
	\bigcirc Suspected recurrence (not confirmed or unknown if confirmed by biopsy)
	OBiopsy confirmed recurrence
	Unknown
Functional Status: *	
Working for income:*	
Primary Insurance at Follow-up:*	
Specify:	
Clinical Information	
New diabetes onset between last follow-up to the	
If yes, insulin dependent:	
Graft Status: *	OFunctioning OFailed
If death is indicated for the recipient, and the death was a res	sult of some other factor unrelated to graft failure, select Functioning.
If Functioning, Most Recent Serum Creatinine:	mg/dl ST=
Date of Failure:	
Primary Cause of Graft Failure:	Acute Rejection
	Primary Non-Function (Graft Never Functioned Post-Transplant)
	◯ Graft Thrombosis
	Ourological Complications
	CRecurrent Disease
	Chronic Rejection
	BK (Polyoma) Virus
	Other, Specify
Other, Specify:	
Dialysis Since Last Follow-Up:*	NO
	Yes, returned to chronic maintenance dialysis (ESRD)
	○Yes, returned to (or continued on) temporary dialysis
Date Maintenance Dialysis Resumed:	
-	
New diabetes onset between last follow-up to the current follow-up: * If yes, insulin dependent: Graft Status: * If death is indicated for the recipient, and the death was a result If Functioning, Most Recent Serum Creatinine: Date of Failure: Primary Cause of Graft Failure: Other, Specify: Dialysis Since Last Follow-Up: *	
	Yes, none treated with additional anti-rejection agent ○No
	Unknown
Viral Detection:	

CMV IgG: *	Positive
	ONegative
	Not Done
	OUNK/Cannot Disclose
CMV IgM: *	Positive
	Negative
	ONot Done
	OUNK/Cannot Disclose
HIV Serology	Positive
	Negative
	UKN/Cannot Disclose
HIV NAT	Opositive
	ONegative
	UKN/Cannot Disclose
	Not Done
HbsAg	Positive
	Negative
	UKN/Cannot Disclose
	Not Done
HBV DNA	Positive
	Negative
	UKN/Cannot Disclose
	ONot Done
HBV Core Antibody	Positive
	Negative
	UKN/Cannot Disclose
	Not Done
HCV Serology	Positive
	ONegative
	UKN/Cannot Disclose
	Not Done
HCV NAT	Positive
	ONegative
	OUKN/Cannot Disclose
	ONot Done
Post Transplant Malignancy: *	
Donor Related:	
Recurrence of Pre-Tx Tumor:	
Post Tx De Novo Solid Tumor:	
De Novo Lymphoproliferative disease and Lymphoma:	

Immunosuppressive Information	
Previous Validated Maintenance Follow-Up Medications:	
Previous Validated Maintenance Follow-Up Medications:	
Were any medications given during the follow-up period for maintenance:	Yes, same as validated TRR form
	ONone given
	\odot Yes, but different than validated TRR form

Immunosuppressive Medications View Immunosuppressive Medications

Definitions Of Immunosuppressive Follow-Up Medications

For each of the immunosuppressant medications listed, check **Previous Maintenance (Prev Maint)**, **Current Maintenance (Curr Maint)** or **Anti-rejection** (**AR**) to indicate all medications that were prescribed for the recipient during this follow-up period, and for what reason. If a medication was not given, leave the associated box(es) blank.

Previous Maintenance (Prev Maint) includes all immunosuppressive medications given during the report period, which covers the period from the last clinic visit to the current clinic visit, with the intention to maintain them <u>long-term</u> (example: prednisone, cyclosporine, tacrolimus, mycophenolate mofetil, azathioprine, or Rapamune). This does not include any immunosuppressive medications given to treat rejection episodes.

Current Maintenance (Curr Maint) includes all immunosuppressive medications given at the time of the current clinic visit to begin in the next report period, with the intention to maintain them <u>long-term</u> (example: prednisone, cyclosporine, tacrolimus, mycophenolate mofetil, azathioprine, or Rapamune). This does not include any immunosuppressive medications given to treat rejection episodes.

Anti-rejection (AR) immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode since the last clinic visit (example: methylprednisolone or Thymoglobulin). When switching maintenance drugs (example: from tacrolimus to cyclosporine; or from mycophenolate mofetil to azathioprine) because of rejection, the drugs should not be listed under AR immunosuppression, but should be listed under maintenance immunosuppression. >Note: The Anti-rejection field refers to any anti-rejection medications since the last clinic visit, not just at the time of the current clinic visit.

If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. Do not list non-immunosuppressive medications.

Drug used for induction, acute rejection, or maintenance				
	Prev Maint	Curr Maint	AR	
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol)				

Drugs used for induction or acute rejection			
	Prev Maint	Curr Maint	AR
Atgam			
Campath (alemtuzumab)			
Cytoxan (cyclophosphamide)			
Methotrexate (Folex PFS, Mexate- AQ, Rheumatrex)			
Rituxan (rituximab)			
Simulect (basiliximab)			
Thymoglobulin			

Drugs primarily used for maintenance			
	Prev Maint	Curr Maint	AR
Cyclosporine, select from the following:			
- Gengraf			
- Neoral			
- Sandimmune			
- Generic cyclosporine			
Imuran (azathioprine, AZA)			
Leflunomide (LFL)			
Mycophenolic acid, select from the following:			
- CellCept (MMF)			
- Generic MMF (generic CellCept)			
- Myfortic (mycophenolic acid)			
- Generic Myfortic (generic mycophenolic acid)			
mTOR inhibitors, select from the following:			
- Rapamune (sirolimus)			

Copyright © 2022 United Network for Organ Sharing. All rights reserved. OPTN use only. 083022

- Generic sirolimus				
- Zortress (everolimus)				
Nulojix (belatacept)				
Tacrolimus, select from the following:				
- Astagraf XL (extended release tacrolimus)				
- Envarsus XR (tacrolimus XR)				
- Prograf (tacrolimus)				
- Generic tacrolimus (generic Prograf)				
Other drugs				
	Prev Maint	Curr Maint	AR	
Other immunosuppressive medication, specify:				
Other immunosuppressive medication, specify:				

Copyright @ 2022 United Network for Organ Sharing. All rights reserved. Confidential - OPTN Use Only

UNOS Policies & Terms