Adult Kidney Transplant Recipient Registration Worksheet

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI® application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI® application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information		
Name:	DOB:	
SSN:	Birth	sex:
HIC:		splant Date and
	Time	
State of Permanent Residence: *		
Permanent Zip: *	-	
Provider Information		
Recipient Center:		
Surgeon Name: *		4
NPI#:*		
Donor Information		
UNOS Donor ID #:		
Recovering OPO:		
Donor Type:		
Patient Status		
Primary Diagnosis: *		
Specify:		
Date: Last Seen, Retransplanted or Death	*	\mathbf{O}
Patient Status: *	CLIVING	
	DEAD	
	ORETRANSPLANTED	
Primary Cause of Death:		
Specify:		
Contributory Cause of Death:		
Specify:		
, ,		
Contributory Cause of Death:		
Specify:		
Transplant Hospitalization:	<u> </u>	
Date of Admission to Tx Center:*		
Date of Discharge from Tx Center:		
Clinical Information : PRETRAN	SPLANT	
Functional Status: *		
Working for income:*	YES NO UNK	
Source of Payment:		
Primary: *		
Specify:		
Height: *	ft in.	cm ST=
Weight: *	Ibs	kg ST=
BMI:	kg/m ²	
Previous Transplants:		
Previous Transplant Organ	Previous Transplant Date	Previous Transplant Graft Fail Date
Copyright © 2023 United No	etwork for Organ Sharing. All rights re	served. OPTN use only. 091423

The three most recent transplants are listed here. Please coby emailing unethelpdesk@unos.org.	ntact the UNet Help Desk to confirm more than	three previous transplants by calling 800-978-4334 or
Pretransplant Dialysis: *	YES NO UNK	
If Yes, Date of Most Recent Initiation of Chronic Maintenance Dialysis:		ST=
Serum Creatinine at Time of Tx: ★	mg/dl	ST=
Viral Detection:		
HIV Serostatus: *	On	
THV Serostatus.	OPositive ONegative	
	Not Done	
	OUNK/Cannot Disclose	
CMV Status*	Positive	
Criv Status#	ONegative	
	ONot Done	
	OUNK/Cannot Disclose	
HBV Surface Antibody Total *	Positive	
***	ONegative ONegative	
	Not Done	
	OUNK/Cannot Disclose	3 (0) (
HBV Core Antibody: ★	Positive	
	Negative	
	Not Done	
	UNK/Cannot Disclose	
HBV Surface Antigen: ∗	Positive	
	Negative	
	Not Done	
	OUNK/Cannot Disclose	
HCV Serostatus: *	Positive	
	Negative	
	ONot Done	
	UNK/Cannot Disclose	
EBV Serostatus: *	Positive	
	Negative	
	Not Done	
	UNK/Cannot Disclose	
Vaccination Status:		
Did the recipient receive Hepatitis B vaccines prior to transplant?:*	YES NO UNK	
Reason not vaccinated:	○Immunity	
	Medical precaution	
	OTime constraints	
	Patient objection	
	Product out of stock	
Constitu	Other, specify	
Specify:		
NAT Results:		

 $\textbf{Copyright} \circledcirc \textbf{2023 United Network for Organ Sharing. All rights reserved. OPTN use only. } \textbf{091423}$

HIV NAT:*	Positive
	Negative
	Not Done
	OUNK/Cannot Disclose
HBV NAT:∗	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
HOLINE	
HCV NAT:∗	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
Previous Pregnancies:	YES
	ONO
	NOT APPLICABLE: < 10 years old
	ONOT ATTECHDED VIOLENCE
Malignancies between listing and transplant: *	YES NO
This question is NOT applicable for patients receiving living done	or transplants who were never on the waiting list.
If yes, specify type:	□Skin Melanoma
	□Skin Non-Melanoma
	□CNS Tumor
	Genitourinary
	□Breast
	☐ Thyroid
	□Tongue/Throat/Larynx
	□Lung
	□Leukemia/Lymphoma
	□Liver
	Other, specify
Specify:	
Clinical Information : TRANSPLANT PROCE	EDURE
Multiple Organ Recipient	
Were extra vessels used in the transplant procedure:	
Procedure Type:	
Kidney Preservation Information:	
Total Cold ischemia Time Right KI(OR EN-BLOC): (if pumped, include pump time):	hrs ST=
Total Cold ischemia Time Left KI (if pumped, include pump time):	hrs ST=
Kidney(s) received on: *	Cīce
	Pump
	On/A
Received on ice:	Stayed on ice
	Put on pump
Post of a control of	
Received on pump:	Stayed on pump
	OPut on ice

Copyright © 2023 United Network for Organ Sharing. All rights reserved. OPTN use only. 091423

If put on pump or stayed on pump:	
Right Kidney Final resistance at transplant:	ST=
Right Kidney Final flow rate at transplant:	ST=
Left Kidney Final resistance at transplant:	ST=
Left Kidney Final flow rate at transplant:	ST=
, ·	31-
Organ Check-in Information:	
Left Kidney Date: Time: Check-In Date and Time:	Military time Time Zone: ST=
Right Kidney Date: Time: Check-In Date and Time:	Military time Time Zone: ST=
En Bloc Kidneys Date: Time: Check-In Date and Time:	Military time Time Zone: ST=
Clinical Information : POST TRANSPLANT	
Graft Status:∗	Functioning Failed
If death is indicated for the recipient, and the death was a result	of some other factor unrelated to graft failure, select Functioning.
Resumed Maintenance Dialysis:	YES NO
Date Maintenance Dialysis Resumed:	
Date of Graft Failure:	
Primary Cause of Graft Failure:	HYPERACUTE REJECTION
	OACUTE REJECTION
	OPRIMARY NON-FUNCTION (GRAFT NEVER FUNCTIONED POST-TRANSPLANT)
	GRAFT THROMBOSIS
	INFECTION
	SURGICAL COMPLICATIONS
	OUROLOGICAL COMPLICATIONS
	RECURRENT DISEASE
	OTHER SPECIFY CAUSE
Specific	
Specify:	
Most Recent Serum Creatinine Prior to Discharge: *	mg/dl ST=
Patient Need Dialysis within First Week: *	OYES ONO
Did patient have any acute rejection episodes between transplant and discharge: *	Yes, at least one episode treated with anti-rejection agent
4	Yes, none treated with additional anti-rejection agent
	○No
Immunosuppressive Information	
Are any medications given currently for maintenance or anti-rejection: *	YES NO
Immunosuppressive Medications View Immunosuppressive Medications	
Definitions Of Immunosuppressive Medications For each of the immunosuppressive medications listed, select In	d (Induction), Maint (Maintenance) or AR (Anti-rejection) to indicate all medications that were
prescribed for the recipient during the initial transplant hospitaliz blank.	ration period, and for what reason. If a medication was not given, leave the associated box(es)
rejection. Though the drugs may be continued after discharge for maintenance. Induction agents are usually polyclonal, monoclons Simulect). Some of these drugs might be used for another finite reason. For each induction medication indicated, write the <u>total i</u>	iven for a <u>short finite period</u> in the perioperative period for the purpose of preventing acute or the first 30 days after transplant, it <u>will not</u> be used long-term for immunosuppressive al, or IL-2 receptor antibodies (example: methylprednisolone, Campath, Thymoglobulin, or period for rejection therapy and would be recorded as anti-rejection therapy if used for this number of days the drug was actually administered in the space provided. For example, if Simulect is would be 2, even if the second dose was given after the patient was discharged.
	ions given before, during or after transplant with the intention to maintain them <u>long-term</u> mofetil, azathioprine, or Rapamune). This does not include any immunosuppressive medications

Copyright © 2023 United Network for Organ Sharing. All rights reserved. OPTN use only. 091423

Anti-rejection (AR) immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode during the initial post-transplant period or during a specific follow-up period, usually up to 30 days after the diagnosis of acute rejection (example: methylprednisolone, or Thymoglobulin). When switching maintenance drugs (example: from tacrolimus to cyclosporine; or from mycophenolate mofetil to azathioprine) because of rejection, the drugs should not be listed under AR immunosuppression, but should be listed under maintenance immunosuppression.

If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Ind, Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. **Do not list non-immunosuppressive medications.**

Drug used for induction, acute rejection, or maintenance					
	Ind.	Days	ST	Maint	AR
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol)					
Duran used far industrian as a set of set of					_
Drugs used for induction or acute rejection	Ind.	Days	ST	Maint	AR
Atgam					
Campath (alemtuzumab)					
Cytoxan (cyclophosphamide)					
Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)					
Rituxan (rituximab)					
Simulect (basiliximab)					
Thymoglobulin				0	
Drugs primarily used for maintenance					
	Ind.	Days	ST	Maint	AR
Cyclosporine, select from the following:					
- Gengraf					
- Neoral					
- Sandimmune					
- Generic cyclosporine					
Imuran (azathioprine, AZA)					
Leflunomide (LFL)					
Mycophenolic acid, select from the following:					
- CellCept (MMF)					
- Generic MMF (generic CellCept)					
- Myfortic (mycophenolic acid)					
- Generic Myfortic (generic mycophenolic acid)					
mTOR inhibitors, select from the following:					
- Rapamune (sirolimus)					
- Generic sirolimus					
- Zortress (everolimus)					
Nulojix (belatacept)					
Tacrolimus, select from the following:					
- Astagraf XL (extended release tacrolimus)					
- Envarsus XR (tacrolimus XR)					
- Prograf (tacrolimus)					
- Generic tacrolimus (generic Prograf)					

Other immunosuppressive medication, specify:		Ind.	Days	ST	Maint	AR
Other immunosuppressive medication, specify:	Other immunosuppressive medication, specify:					
	Other immunosuppressive medication, specify:					

Copyright \circledcirc 2023 United Network for Organ Sharing. All rights reserved. Confidential - OPTN Use Only

UNOS Policies & Terms