## Pediatric Thoracic - Heart/Lung Transplant Recipient Registration Worksheet

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI<sup>®</sup> application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI<sup>®</sup> application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information		
Name:	DOB:	
SSN:	Birth sex:	
HIC:	Transplant Date and	
	Time:	
State of Permanent Residence: *		
Permanent Zip: *	-	
		1
Provider Information		
Recipient Center:		
Physician Name:*		
Physician NPI#:*		
Surgeon Name: *		
Surgeon NPI#:*		
Donor Information		
UNOS Donor ID #:		
Recovering OPO:		J'
Donor Type:		
Patient Status		
Primary Diagnosis: *		
Specify:		
Date: Last Seen, Retransplanted or Death*		
Patient Status: *	CLIVING	
	DEAD	
	RETRANSPLANTED	
	0 $0$	
Primary Cause of Death:		
Specify:		
Contributory Cause of Death:		
Specify:		
Specify.		
Contributory Cause of Death:		
Specify:		
Transplant Hospitalization:		
Date of Admission to Tx Center: *		
Date of Discharge from Tx Center:		
Clinical Information : PRETRANSPLANT		
Medical Condition at time of transplant: *	OIN INTENSIVE CARE UNIT	
	OHOSPITALIZED NOT IN ICU	
	ONOT HOSPITALIZED	
Patient on Life Support: *	VES NO	

BMI:	kg/m <sup>2</sup>	ку	31-	
Weight:*	lbs	kg	ST=	
Height: * Weight Measurement Date:	ft in.	cm	ST=	
Height Measurement Date:		am	ct-	
Primary: * Specify:				
Source of Payment:				
	Status Unknown			
	Not Applicable, too youn	g for school/ High School grade	uate or GED	
	Unable to participate reg	gularly due to dialysis		
	Unable to participate in a	academics due to disease or co	ndition	
	Reduced academic load			
Academic Activity Level: *	Full academic load			
	Status Unknown			
		g for school/ High School gradu	uate or GED	
	Special Education			
Academic Progress:*	Owithin One Grade Level	of Peers		
Andomia Drogmonou v				
	No Motor delay/impairm	lent		
	Questionable Motor dela			
	Probable Motor delay/in			
Motor Development: *	<b>Definite Motor delay/im</b>			
	Not Assessed			
	No Cognitive delay/impa	airment		
	Questionable Cognitive o			
	Probable Cognitive delay		$\sim$	
Cognitive Development: *	<b>Definite Cognitive delay</b>	/impairment		
Functional Status: *				
Specify:			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
Life Support: VAD Brand2			C	
Specify:				
Life Support: VAD Brand1				
	UVAD+RVAD			
	ТАН			
	RVAD			
Patient on Ventricular Assist Device *	ONONE			
Specify:				
	Ventilator     Other Mechanism			
	Inhaled NO			
	Intravenous Inotropes			
	Prostacyclin Infusion			
	Intra Aortic Balloon Pump  Desets a value Infusion			
	Extra Corporeal Membrane	Oxygenation		

The three most recent transplants are listed here. Please contact the UNet Help Desk to confirm more than three previous transplants by calling 800-978-4334 or by emailing unethelpdesk@unos.org.

## V

5 · · · · · · · · · · · · · · · · · · ·	
Viral Detection:	
HIV Serostatus:*	Positive
	ONegative
	ONot Done
	OUNK/Cannot Disclose
CMV Status*	Positive
	ONegative
	UNK/Cannot Disclose
HBV Surface Antibody Total *	Positive
	ONegative
	ONot Done
	UNK/Cannot Disclose
HBV Core Antibody: *	Positive
	ONegative
	Not Done
	UNK/Cannot Disclose
HBV Surface Antigen: *	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
HCV Serostatus: *	Positive
	Negative
	ONot Done
	UNK/Cannot Disclose
EBV Serostatus: *	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
Vaccination Status:	
Did the recipient receive Hepatitis B vaccines prior to transplant?: *	©YES ONO OUNK
Reason not vaccinated:	Immunity
	Medical precaution
	<b>Time constraints</b>
	Patient objection
	Product out of stock
	Other, specify
Specify:	
NAT Results:	
HIV NAT: *	OPositive
	ONegative
	ONot Done
	OUNK/Cannot Disclose

HBV NAT: *	Positive				
	Negative				
	Not Done				
	UNK/Cannot Disc	lose			
HCV NAT: *	Positive				
	Negative				
	Not Done				
	UNK/Cannot Disc	lose			
Most Recent Hemodynamics:				Inotropes/Vasodilators:	
PA (sys)mm/Hg: *			ST=		
PA(dia) mm/Hg:*			ST=	YES NO	
PA(mean) mm/Hg:*			ST=	YES NO	
PCWP mm/Hg: *			ST=		
CO L/min: *			ST=		
Most Recent Serum Creatinine:*		ma/dl	<b>CT</b> -		
Most Recent Serum Creatinine:* Most Recent Total Bilirubin:*		mg/dl	ST= ST=		
			51=		
Chronic Steroid Use:*					
Pulmonary Status (Give most recent value): FVC:*		0/ prodicted			
FvC.*		%predicted:	ST=		
pCO2:*		mm/Hg:	ST=		
Events occurring between listing and transplant:		inini,rig.			
Transfusions:*					
Infection Requiring IV Therapy within 2 wks prior to Tx:					
*					
Dialysis: *					
Episode of Ventilatory Support: *					
If yes, indicate most recent timeframe:	At time of transpl	ant			
	Within 3 months	of transplant			
	>3 months prior t	to transplant			
Tracheostomy: *					
Prior Thoracic Surgery other than prior transplant:*					
If yes, number of prior sternotomies:	Unknown if there	wave price stornet	amiaa		
a yes, hamber of profiser for measures.		were prior sternot	omies		
	1				
	<b>0</b> 2				
	<b>3</b>				
	<b>4</b>				
	5+				
	Unknown number	r of prior sternotom	nies		
Copyright © 2023 United Network for Org	an Sharing. All rig	hts reserved. Of	PTN use only. 09	1423	

If yes, number of prior thoracotomies:	Ounknown if there were prior thoracotomies
	<b>O</b> 0
	01
	<b>2</b>
	<b>O</b> 3
	<b>4</b>
	05+
	Ounknown number of prior thoracotomies
Prior congenital cardiac surgery:	
If yes, palliative surgery:	
If yes, corrective surgery:	
If yes, single ventricular physiology:	YES NO UNK
Pretransplant Titer Information:	
Most Recent Anti-A Titer:	Sample Date:
Most Recent Anti-B Titer:	Sample Date:
Clinical Information - TRANCOLANT DROCED	
Clinical Information : TRANSPLANT PROCED Multiple Organ Recipient	UKE
Were extra vessels used in the transplant procedure:	
Procedure Type:	Heart
	CHeart Lung
Total Organ Preservation Time From Cross Clamp to In Situ	Reperfusion (include warm and cold time):
Heart, Heart-Lung:	min ST=
Lung(s) perfused prior to transplant?	℃YES ℃NO
Perfusion occurred at:	Recovery Site (donor hospital)
	ОРО
	Transplant hospital - transplant site
	Orransplant hospital - not transplant site
	External perfusion center
Perfusion performed by:	ОРО
	Transplant Program
	External perfusion center
Total time on perfusion:	min ST=
Left lung received at transplant center:	Received at center on ice
	Received at center on pump, stayed on pump
	Received at center on pump, stayed on pump
Right lung received at transplant center:	
	Received at center on ice     Received at center on pump, stayed on pump
	OReceived at center on pump, put on ice
Organ Check-in Information:	
Heart Check-In Date: Time:	Military time Time Zone: ST=
Date and Time:	
Left Lung Check- Date: Time: Time: Time:	Military time Time Zone: ST=
Right Lung Date: Time: Check-In Date and Time:	Military time Time Zone: ST=
	an Sharing. All rights reserved. OPTN use only. 091423

En Bloc Lungs Check-In Date and Time:	Date:	Time:	Military time Time Zone:	ST=
<b>Clinical Infor</b>	mation : POST T	RANSPLANT		
Graft Status: *			<b>Functioning</b> Failed	
If death is indicated Date of Graft Fail		ne death was a resu	It of some other factor unrelated to graft failure, select Fi	unctioning.
Primary Cause	e of Graft Failure:		OPrimary Non-Function	
			Acute Rejection	
			Ochronic Rejection/Atherosclerosis	
			Other, Specify	
Specify:				
PostTransplant Ti	ter Information:			
Most Recent A	nti-A Titer:		Sample Dat	e:
Most Recent A	nti-B Titer:		Sample Dat	e:
Primary Graft Dys	sfunction at 24 hours			
Is Primary Graft I	Dysfunction (PGD) pro	esent: *		
PGD - Left Ver	ntricular Dysfunction	(PGD-LV):*		
PGD - Right Ve	entricular Dysfunction	n (PGD-RV):*		
Left Ventricular E	jection Fraction (LVE	F):*	Severely Depressed LV Function (EF <30%)	
			Moderately Depressed LV Function (EF >=3	30% - <40%)
			Mildly Depressed LV Function (EF >=40% -	<50%)
			Normal LV Function (EF >=50%)	
			Unknown	
Hemodynamics at	t 24 hours:			
Right Atrial (RA)	Pressure: *		mm/Hg	ST=
Pulmonary Capilla	ary Wedge Pressure (	PCWP): *	mm/Hg	ST=
Left Atrial (LA) Pr	essure: *		mm/Hg	◆ ST=
Pulmonary Artery	(PA) Systolic Pressu	re:*	mm/Hg	ST=
Pulmonary Artery	(PA) Diastolic Press	ıre:*	mm/Hg	ST=
Cardiac Output (C	<b>CO):</b> *		L/min	ST=
Patient on Life Su	pport at 24 hours: *		VYES NO	
			Extra Corporeal Membrane Oxygenation	
			🗆 Intra Aortic Balloon Pump	
			Inhaled NO	
Patient on Ventrie	cular Assist Device at	24 hours: *	NONE	
			LVAD	
			RVAD	
			Тан	
			Uvad+Rvad	
VAD Brand	1:*			
Spee	cify: *			
VAD Brand	2:*			
Spee	cify: *			
Epoprostenol at 2	4 hours following tra	nsplant:*		
Inotrope Support	at 24 hours:			
Epinephrin	e:*		mcg/kg/m	in l
Milrinone:	*		mcg/kg/m	in
Dobutamin	ie:*		mcg/kg/m	in

Dopamine:*		mcg/kg/min	
/asopressors at 24 hours:			
evo (Norepinephrine - Levophed):*			
Unit of measure: *	Omcg/min		
	Omcg/kg/min		
Dosage: *		mcg/min	
Dosage: *		mcg/kg/min	
Neo (Phenylephrine – Neosynephrine): *			
Unit of measure: *			
Unit of measure. *	Omcg/min		
	Omcg/kg/min		
Dosage: *		mcg/min	
Dosage *		mcg/kg/min	
/aso (Vasopressin – Pitressin) *		unit/min	
Primary Graft Dysfunction at 72 hours			
			2
PGD - Left Ventricular Dysfunction (PGD-LV):*			
PGD - Right Ventricular Dysfunction (PGD-LV): $*$			
eft Ventricular Ejection Fraction (LVEF):*	Severely Depressed LV Fu	inction (EF <30%)	
	Moderately Depressed LV	Function (EF >=30% - <40%)	
	Mildly Depressed LV Func	tion (EF >=40% - <50%)	
	Normal LV Function (EF >	=50%)	
	Unknown		
lemodynamics at 72 hours:			
Right Atrial (RA) Pressure: *	mm/Hg	ST=	
Pulmonary Capillary Wedge Pressure (PCWP): *	mm/Hg	ST=	
eft Atrial (LA) Pressure: *	mm/Hg	ST=	
Pulmonary Artery (PA) Systolic Pressure:*	mm/Hg	ST=	
Pulmonary Artery (PA) Diastolic Pressure:*	mm/Hg	ST=	
Cardiac Output (CO): *	L/min	ST= 🗌	
Patient on Life Support at 72 hours?*	YES NO		
	Extra Corporeal Membra	ne Oxygenation	
	Intra Aortic Balloon Pum		
	Inhaled NO	•	
Patient on Ventricular Assist Device at 72 hours:*	NONE		
	RVAD		
	Стан		
	LVAD+RVAD		
VAD Brandlaw			
VAD Brand1:* Specify:*			
VAD Brand2:*			
Specify: *			
Epoprostenol at 72 hours following transplant:*			
notrope Support at 72 hours:			
Epinephrine: *		mcg/kg/min	
Milrinone: *		mcg/kg/min	
Dobutamine: *		mcg/kg/min	
Dopamine:*		mcg/kg/min	

Vasopressors at 72 hours:	
Levo (Norepinephrine - Levophed):*	
Unit of measure: *	Omcg/min
	Omcg/kg/min
Dosage: *	mcg/min
Dosage: *	mcg/kg/min
Neo (Phenylephrine – Neosynephrine): *	
Unit of measure: *	Omcg/min
	Omcg/kg/min
Dosage: *	mcg/min
Dosage: *	mcg/kg/min
Vaso (Vasopressin – Pitressin) *	unit/min
Events Prior to Discharge:	
Stroke: *	YES NO UNK
Dialysis: *	
Ventilator Support: *	ONO
	Ventilator support for <= 48 hours
	Ventilator support for >48 hours but < 5 days
	Ventilator support >= 5 days
	Ventilator support, duration unknown
	Unknown Status
Reintubated: *	
Permanent Pacemaker: *	
Components of ISHLT primary graft dysfunction (PGD) grade	
Intubated at 72 hours *	
PaO2 at 72 Hours *	mm/Hg ST=
FiO2 at 72 Hours*	% ST=
ECMO at 72 hours *	
Inhaled NO at 72 hours *	
Airway Dehiscence:	
Did patient have any acute rejection episodes between transplant and discharge: *	Yes, at least one episode treated with anti-rejection agent
	Yes, none treated with additional anti-rejection agent
	No
Immunosuppressive Information	
Are any medications given currently for maintenance or anti-rejection: *	YES NO

Immunosuppressive Medications

View Immunosuppressive Medications

## **Definitions Of Immunosuppressive Medications**

For each of the immunosuppressive medications listed, select Ind (Induction), Maint (Maintenance) or AR (Anti-rejection) to indicate all medications that were prescribed for the recipient during the initial transplant hospitalization period, and for what reason. If a medication was not given, leave the associated box(es) blank.

Induction (Ind) immunosuppression includes all medications given for a <u>short finite period</u> in the perioperative period for the purpose of preventing acute rejection. Though the drugs may be continued after discharge for the first 30 days after transplant, it <u>will not</u> be used long-term for immunosuppressive maintenance. Induction agents are usually polyclonal, monoclonal, or IL-2 receptor antibodies (example: methylprednisolone, Campath, Thymoglobulin, or Simulect). Some of these drugs might be used for another finite period for rejection therapy and would be recorded as anti-rejection therapy if used for this reason. For each induction medication indicated, write the <u>total number of days the drug was actually administered</u> in the space provided. For example, if Simulect was given in 2 doses a week apart then the total number of days would be 2, even if the second dose was given after the patient was discharged.

Maintenance (Maint) includes all immunosuppressive medications given before, during or after transplant with the intention to maintain them <u>long-term</u> (example: prednisone, cyclosporine, tacrolimus, mycophenolate mofetil, azathioprine, or Rapamune). This does not include any immunosuppressive medications given to treat rejection episodes, or for induction.

Anti-rejection (AR) immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode during the initial post-transplant period or during a specific follow-up period, usually up to 30 days after the diagnosis of acute rejection (example: methylprednisolone, or Thymoglobulin). When switching maintenance drugs (example: from tacrolimus to cyclosporine; or from mycophenolate mofetil to azathioprine) because of rejection, the drugs <u>should not</u> be listed under AR immunosuppression, but <u>should</u> be listed under maintenance immunosuppression.

If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibudis), select Ind, Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. <u>Do not list non-immunosuppressive medications</u>.

Drug used for induction, acute rejection, or maintenance					
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol)	Ind.	Days	ST	Maint	
Drugs used for induction or acute rejection					
Atgam	Ind.	Days	ST	Maint	AR
Campath (alemtuzumab)					
Cytoxan (cyclophosphamide)					
Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)					
Rituxan (rituximab)					
Simulect (basiliximab)					
Thymoglobulin					
			_	S	
Drugs primarily used for maintenance	Ind.	Days	ST	Maint	AR
Cyclosporine, select from the following:			$\langle O \rangle$		
- Gengraf					
- Neoral					
- Sandimmune					
- Generic cyclosporine	Ø				
Imuran (azathioprine, AZA)					
Leflunomide (LFL)					
Mycophenolic acid, select from the following:					
- CellCept (MMF)					
- Generic MMF (generic CellCept)					
- Myfortic (mycophenolic acid)					
- Generic Myfortic (generic mycophenolic acid)					
mTOR inhibitors, select from the following:					
- Rapamune (sirolimus)					
- Generic sirolimus					
- Zortress (everolimus)					
Nulojix (belatacept)					
Tacrolimus, select from the following: - Astagraf XL (extended release tacrolimus)					
- Envarsus XR (tacrolimus XR)					
- Prograf (tacrolimus)					
- Generic tacrolimus)					
Other drugs					
	Ind.	Days	ST	Maint	AR

Other immunosuppressive medication, specify:			
Other immunosuppressive medication, specify:			

Copyright  $\odot$  2023 United Network for Organ Sharing. All rights reserved. Confidential - OPTN Use Only

UNOS Policies & Terms

