Pediatric Kidney Transplant Recipient Follow-Up Worksheet

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI® application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI® application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
Previous Follow-Up:	Previous Px Stat Date:
Transplant Discharge Date:	
State of Permanent Residence: *	
Zip Code: ∗	
•	
Provider Information	
Recipient Center:	
Followup Center:	
Physician Name:*	
NPI#:*	
Follow-up Care Provided By: *	OTransplant Center
	Non Transplant Center Specialty Physician
	Primary Care Physician
	Other Specify
Specify:	
,	
Donor Information	
UNOS Donor ID #:	
Recovering OPO:	
Donor Type:	
Patient Status	
Date: Last Seen, Retransplanted or Death*	
Patient Status:*	CLIVING
	ODEAD
	ORETRANSPLANTED
	ONOT SEEN
Primary Cause of Death:	
Specify:	
-p	
Contributory Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	
Has the patient been hospitalized since the last patient status date:*	YES NO UNK

TRR	Disease Recurrence:
Diagnosis:	ONo recurrence
	Osuspected recurrence (not confirmed or unknown if confirmed by biopsy)
	OBiopsy confirmed recurrence
	Unknown
Functional Status: *	
Turicional States :-	
Cognitive Development: *	ODefinite Cognitive delay/impairment
	OProbable Cognitive delay/impairment
	Questionable Cognitive delay/impairment
	No Cognitive delay/impairment
	ONot Assessed
Motor Development: *	Operinite Motor delay/impairment
	Probable Motor delay/impairment
	Questionable Motor delay/impairment
	ONo Motor delay/impairment
	Not Assessed
Academic Progress:*	OWithin One Grade Level of Peers
	ODelayed Grade Level
	Ospecial Education
	Not Applicable, too young for school/ High School graduate or GED
	Status Unknown
Academic Activity Level:*	Full academic load
	Reduced academic load
	Ounable to participate in academics due to disease or condition
	Ounable to participate regularly due to dialysis
	Not Applicable, too young for school/ High School graduate or GED
	OStatus Unknown
Primary Insurance at Follow-up:*	
Specify:	
Specify.	
Clinical Information	
Height Measurement Date:	
Height:*	ft. in. cm ST=
Weight Measurement Date:	
Weight:*	lbs. kg ST=
BMI:	kg/m ²
571.	NSJ 111
New diabetes onset between last follow-up to the current follow-up: *	e YES NO UNK
If yes, insulin dependent:	YES ONO OUNK
Graft Status: ∗	Functioning Failed
If death is indicated for the recipient, and the death wa	s a result of some other factor unrelated to graft failure, select Functioning.
If Functioning, Most Recent Serum Creatinine:	mg/dl ST=

Date of Failure:	
Primary Cause of Graft Failure:	Acute Rejection
	Primary Non-Function (Graft Never Functioned Post-Transplant)
	Graft Thrombosis
	○Infection
	Ourological Complications
	Recurrent Disease
	Chronic Rejection
	BK (Polyoma) Virus
	Other, Specify
Other, Specify:	
Dialysis Since Last Follow-Up:∗	ONO
	Yes, returned to chronic maintenance dialysis (ESRD)
	Yes, returned to (or continued on) temporary dialysis
Date Maintenance Dialysis Resumed:	
Did patient have any acute rejection episodes during	the Yes, at least one episode treated with anti-rejection agent
follow-up period:*	Yes, none treated with additional anti-rejection agent
	○No
	Unknown
Is growth hormone therapy used during this followup period: $\!$	YES NO UNK
Viral Detection:	

CMV IgG: *	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
CMV IgM:∗	Positive
	Negative
	Not Done
	UNK/Cannot Disclose
HIV Serology	Positive
	Negative
	OUKN/Cannot Disclose
	Not Done
HIV NAT	Positive
1114 1101	
	O Negative
	OUKN/Cannot Disclose
	Not Done
HbsAg	Positive
	○ Negative
	OUKN/Cannot Disclose
	ONOT Done
HBV DNA	Positive
	Negative
	UKN/Cannot Disclose
	Not Done
HBV Core Antibody	Positive
	Negative
	OUKN/Cannot Disclose
	Not Done
HCV Serology	Positive
,	O Negative
	UKN/Cannot Disclose
	Not Done
	ONUL DOILE
HCV NAT	Positive
	Negative
	UKN/Cannot Disclose
	Not Done
Post Transplant Malignancy: *	YES NO UNK
Donor Related:	YES NO UNK
Recurrence of Pre-Tx Tumor:	YES NO UNK
Post Tx De Novo Solid Tumor:	YES NO UNK
De Novo Lymphoproliferative disease and Lymphoma:	YES NO UNK

Bone Disease:			
Fracture in the past year (or since last follow-up):*	YES NO UNK		
Specify Location and number of fractures: *	☐ Spine-compression fracture:	# of fractures:	
, ,	Extremity:	# of fractures:	
		# of fractures:	
	☐ Other:	# or fractures:	
AVN (avascular necrosis): *	OYES ONO OUNK		
Immunosuppressive Information Previous Validated Maintenance Follow-Up Medications:			
Previous Validated Maintenance Follow-Up Medications:			
Were any medications given during the follow-up period	Ves same as validated TDF	5 0	
for maintenance:	Yes, same as validated TRF	TOTH	
	None given		
	Yes, but different than valid	dated TRR form	
Immunosuppressive Medications			
View Immunosuppressive Medications			
Definitions Of Immunosuppressive Follow-Up Medications			
For each of the immunosuppressant medications listed, check Prev (AR) to indicate all medications that were prescribed for the recipi associated box(es) blank.			
Previous Maintenance (Prev Maint) includes all immunosuppreto the current clinic visit, with the intention to maintain them <u>long-</u> Rapamune). This does not include any immunosuppressive medical	term (example: prednisone, cyclosy tions given to treat rejection episod	porine, tacrolimus, mycopes.	henolate mofetil, azathioprine, or
Current Maintenance (Curr Maint) includes all immunosuppres the intention to maintain them <u>long-term</u> (example: prednisone, cy any immunosuppressive medications given to treat rejection episod	closporine, tacrolimus, mycopheno		
Anti-rejection (AR) immunosuppression includes all immunosuppression visit (example: methylprednisolone or Thymoglobulin). When mofetil to azathioprine) because of rejection, the drugs <u>should not</u> immunosuppression. > Note: The Anti-rejection field refers to	switching maintenance drugs (exa be listed under AR immunosuppres	mple: from tacrolimus to sion, but <u>should be</u> listed	cyclosporine; or from mycophenolate I under maintenance
		Since the last clinic v	isit, not just at the time of the
current clinic visit. If an immunosuppressive medication other than those listed is beir next to Other Immunosuppressive Medication field, and enter the fmedications.	ng administered (e.g., new monoclo	nal antibodies), select Pr	evious Maint, or Current Maint, or AR
If an immunosuppressive medication other than those listed is beir next to Other Immunosuppressive Medication field, and enter the f	ng administered (e.g., new monoclo	nal antibodies), select Pr	evious Maint, or Current Maint, or AR
If an immunosuppressive medication other than those listed is beir next to Other Immunosuppressive Medication field, and enter the f	ng administered (e.g., new monoclo iull name of the medication in the s maintenance	nal antibodies), select Pr pace provided. <u>Do not li</u>	evious Maint, or Current Maint, or AR st non-immunosuppressive
If an immunosuppressive medication other than those listed is beir next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or	ng administered (e.g., new monocloiull name of the medication in the s	nal antibodies), select Pr pace provided. Do not li	evious Maint, or Current Maint, or AR st non-immunosuppressive AR
If an immunosuppressive medication other than those listed is beir next to Other Immunosuppressive Medication field, and enter the medications.	ng administered (e.g., new monoclo iull name of the medication in the s maintenance	nal antibodies), select Pr pace provided. <u>Do not li</u>	evious Maint, or Current Maint, or AR st non-immunosuppressive
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol,	ng administered (e.g., new monocloiull name of the medication in the s	nal antibodies), select Pr pace provided. Do not li	evious Maint, or Current Maint, or AR st non-immunosuppressive AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol,	mg administered (e.g., new monoclotull name of the medication in the semantenance Prev Maint	nal antibodies), select Propace provided. Do not li	evious Maint, or Current Maint, or AR st non-immunosuppressive AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection	mg administered (e.g., new monoclotull name of the medication in the semantenance Prev Maint	nal antibodies), select Pr pace provided. Do not li	evious Maint, or Current Maint, or AR st non-immunosuppressive AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam	maintenance Prev Maint Prev Maint	nal antibodies), select Pr pace provided. Do not li Curr Maint	evious Maint, or Current Maint, or AR st non-immunosuppressive AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection	maintenance Prev Maint Prev Maint	nal antibodies), select Propace provided. Do not li	AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide)	maintenance Prev Maint Prev Maint	nal antibodies), select Propace provided. Do not li	AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the medications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab)	maintenance Prev Maint Prev Maint	nal antibodies), select Propace provided. Do not li	AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the medications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-	maintenance Prev Maint Prev Maint	nal antibodies), select Propace provided. Do not li	AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)	maintenance Prev Maint Prev Maint	curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the medications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab)	maintenance Prev Maint Prev Maint	curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin	maintenance Prev Maint Prev Maint	curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance	maintenance Prev Maint Prev Maint	Curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance	maintenance Prev Maint Prev Maint	curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the medications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance ECyclosporine, select from the following:	maintenance Prev Maint Prev Maint	Curr Maint Curr Maint	AR AR O O O O O O O O O O O O O
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance Cyclosporine, select from the following:	maintenance Prev Maint Prev Maint Cu	Curr Maint Curr Maint	AR AR AR AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance Cyclosporine, select from the following: - Gengraf	maintenance Prev Maint Prev Maint Cu	Curr Maint Curr Maint	AR AR AR AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance Cyclosporine, select from the following: - Gengraf - Neoral	maintenance Prev Maint Prev Maint Cu	Curr Maint Curr Maint	AR AR AR AR AR
If an immunosuppressive medication other than those listed is bein next to Other Immunosuppressive Medication field, and enter the finedications. Drug used for induction, acute rejection, or Steroids (prednisone, methylprednisolone, Solumedrol, Medrol) Drugs used for induction or acute rejection Atgam Campath (alemtuzumab) Cytoxan (cyclophosphamide) Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex) Rituxan (rituximab) Simulect (basiliximab) Thymoglobulin Drugs primarily used for maintenance E Cyclosporine, select from the following: - Gengraf - Neoral - Sandimmune	maintenance Prev Maint Prev Maint Cu	Curr Maint Curr Maint	AR AR AR AR AR

Mycophenolic acid, select from the following:				
- CellCept (MMF)				
- Generic MMF (generic CellCept)				
- Myfortic (mycophenolic acid)				
Generic Myfortic (generic mycophenolic acid)				
mTOR inhibitors, select from the following:				
Rapamune (sirolimus)				l
- Generic sirolimus				
- Zortress (everolimus)				
Nulojix (belatacept)				
Tacrolimus, select from the following:				
- Astagraf XL (extended release cacrolimus)				
- Envarsus XR (tacrolimus XR)				
Prograf (tacrolimus)				
Generic tacrolimus (generic prograf)				
Other drugs				
	Prev Maint	Curr Maint	AR	
Other immunosuppressive medication, specify:				
Other immunosuppressive medication, specify:				

Copyright © 2022 United Network for Organ Sharing. All rights reserved. Confidential - OPTN Use Only

UNOS Policies & Terms