

## Records ?

### Adult Thoracic Transplant Recipient Follow-Up Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 07/31/2020

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI® application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI® application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
<b>Name:</b>	<b>DOB:</b>
<b>SSN:</b>	<b>Gender:</b>
<b>HIC:</b>	<b>Tx Date:</b>
<b>Previous Follow-Up:</b>	<b>Previous Px Stat Date:</b>
<b>Transplant Discharge Date:</b>	<input type="text"/>
<b>State of Permanent Residence:*</b>	<input type="text"/>
<b>Zip Code:*</b>	<input type="text"/> - <input type="text"/>

Provider Information	
<b>Recipient Center:</b>	
<b>Followup Center:</b>	
<b>Physician Name:*</b>	<input type="text"/>
<b>NPI#:*</b>	<input type="text"/>
	<input type="radio"/> Transplant Center
	<input type="radio"/> Non Transplant Center Specialty Physician
<b>Follow-up Care Provided By:*</b>	<input type="radio"/> Primary Care Physician
	<input type="radio"/> Other Specify
<b>Specify:</b>	<input type="text"/>

Donor Information	
<b>UNOS Donor ID #:</b>	
<b>Recovering OPO:</b>	
<b>Donor Type:</b>	

Patient Status	
<b>Date: Last Seen, Retransplanted or Death*</b>	<input type="text"/>
	<input type="radio"/> LIVING
	<input type="radio"/> DEAD
<b>Patient Status:*</b>	<input type="radio"/> RETRANSPLANTED
	<input type="radio"/> NOT SEEN
<b>Primary Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Contributory Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Contributory Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Has the patient been hospitalized since the last patient status date:*</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
Hospitalized for Rejection:	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
Hospitalized for Infection:	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>Functional Status:*</b>	<input type="text"/>
<b>Working for income:*</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>Primary Insurance at Follow-up:*</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>

Clinical Information	
<b>Graft Status:*</b>	<input type="radio"/> Functioning <input type="radio"/> Failed
<b>If death is indicated for the recipient, and the death was a result of some other factor unrelated to graft failure, select Functioning.</b>	

Date of Graft Failure:

Primary Cause of Graft Failure:

- Primary Non-Function  
 Acute Rejection  
 Chronic Rejection/Atherosclerosis  
 Other, Specify

Other, Specify:

**Graft Function:**

**Lung:**

FeV1:\*

 %

ST=

O2 Requirement at Rest:\*

 L/min

ST=

- NO BOS  
 Yes, Grade OP  
 Yes, Grade 1

Bronchiolitis Obliterans Syndrome:\*

- Yes, Grade 2  
 Yes, Grade 3  
 Yes, Grade UNK  
 Unknown

Bronchial Stricture (Since last follow-up):\*

- YES  NO  UNK

If yes, Stent:

- YES  NO  UNK

**Post Transplant Events:**

New diabetes onset between last follow-up to the current follow-up:\*

- YES  NO  UNK

If yes, insulin dependent:

- YES  NO  UNK

Most Recent Serum Creatinine:\*

 mg/dl

ST=

Chronic Dialysis:\*

- YES  NO  UNK

Renal Tx since Thoracic Tx:\*

- YES  NO  UNK

Did patient have any acute rejection episodes during the follow-up period:\*

- Yes, at least one episode treated with anti-rejection agent  
 Yes, none treated with additional anti-rejection agent  
 No  
 Unknown

**Viral Detection:**

HIV Serology

- Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HIV NAT

- Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HbsAg

- Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HBV DNA

- Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HBV Core Antibody

- Positive

	<input type="radio"/> Negative <input type="radio"/> UKN/Cannot Disclose <input type="radio"/> Not Done
HCV Serology	<input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> UKN/Cannot Disclose <input type="radio"/> Not Done
HCV NAT	<input type="radio"/> Positive <input type="radio"/> Negative <input type="radio"/> UKN/Cannot Disclose <input type="radio"/> Not Done

<b>Post Transplant Malignancy:</b> *	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>Donor Related:</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>Recurrence of Pre-Tx Tumor:</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>De Novo Solid Tumor:</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>De Novo Lymphoproliferative disease and Lymphoma:</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK

<b>Immunosuppressive Information</b>	
<b>Previous Validated Maintenance Follow-Up Medications:</b>	
<b>Previous Validated Maintenance Follow-Up Medications:</b>	
<b>Were any medications given during the follow-up period for maintenance:</b>	<input type="radio"/> Yes, same as validated TRR form <input type="radio"/> None given <input type="radio"/> Yes, but different than validated TRR form

<b>Immunosuppressive Medications</b>	
<b>View Immunosuppressive Medications</b>	
<b>Definitions Of Immunosuppressive Follow-Up Medications</b>	
<p>For each of the immunosuppressant medications listed, check <b>Previous Maintenance (Prev Maint)</b>, <b>Current Maintenance (Curr Maint)</b> or <b>Anti-rejection (AR)</b> to indicate all medications that were prescribed for the recipient during this follow-up period, and for what reason. If a medication was not given, leave the associated box(es) blank.</p> <p><b>Previous Maintenance (Prev Maint)</b> includes all immunosuppressive medications given during the report period, which covers the period from the last clinic visit to the current clinic visit, for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.</p> <p><b>Current Maintenance (Curr Maint)</b> includes all immunosuppressive medications given at the current clinic visit to begin in the next report for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.</p> <p><b>Anti-rejection (AR)</b> immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode since the last clinic visit (example: Methylprednisolone, Atgam, OKT3, or Thymoglobulin). When switching maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs <u>should not</u> be listed under AR immunosuppression, but <u>should be</u> listed under maintenance immunosuppression.</p> <p><b>Note: The Anti-rejection field refers to any anti-rejection medications since the last clinic visit, not just at the time of the current clinic visit.</b></p> <p>If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. <b>Do not list non-immunosuppressive medications.</b></p>	

Drug used for induction, acute rejection, or maintenance	Prev Maint	Curr Maint	AR
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol, Decadron)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drugs used for induction or acute rejection	Prev Maint	Curr Maint	AR
Atgam	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Campath (alemtuzumab, anti-CD52)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cytoxan (cyclophosphamide)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OKT3 (Orthoclone, muromonab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rituxan (rituximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Simulect (basiliximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Thymoglobulin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<b>Drugs primarily used for maintenance</b>
---

		Prev Maint	Curr Maint	AR
<b>Cyclosporine, select from the following:</b>				
- EON (generic cyclosporine)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Gengraf (Abbott cyclosporine)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Neoral (CyA-NOF)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Other generic cyclosporine, specify brand:	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Sandimmune (cyclosporine A)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Imuran (azathioprine, AZA)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Leflunomide (LFL)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Mycophenolate acid, select from the following:</b>				
- CellCept (MMF)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic MMF (generic CellCept)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Myfortic (mycophenolate acid)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Nulojix (belatacept)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rapamune (sirolimus, Rapamycin)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Tacrolimus, select from the following:</b>				
- Astagraf XL (extended release tacrolimus)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic tacrolimus (generic Prograf)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Prograf (FK506)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zortress (everolimus)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Other drugs				
		Prev Maint	Curr Maint	AR
Other immunosuppressive medication, specify:	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other immunosuppressive medication, specify:	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>