

Records

Pediatric Liver Transplant Recipient Follow-Up Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 07/31/2020

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI® application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI® application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
Previous Follow-Up:	Previous Px Stat Date:
Transplant Discharge Date:	<input type="text"/>
State of Permanent Residence:*	<input type="text"/>
Zip Code:*	<input type="text"/> - <input type="text"/>

Provider Information	
Recipient Center:	
Followup Center:	
Physician Name:*	<input type="text"/>
NPI#:*	<input type="text"/>
	<input type="radio"/> Transplant Center
	<input type="radio"/> Non Transplant Center Specialty Physician
Follow-up Care Provided By:*	<input type="radio"/> Primary Care Physician
	<input type="radio"/> Other Specify
Specify:	<input type="text"/>

Donor Information	
UNOS Donor ID #:	
Recovering OPO:	
Donor Type:	

Patient Status	
Date: Last Seen, Retransplanted or Death*	<input type="text"/>
	<input type="radio"/> LIVING
	<input type="radio"/> DEAD
Patient Status:*	<input type="radio"/> RETRANSPLANTED
	<input type="radio"/> NOT SEEN
Primary Cause of Death:	<input type="text"/>
Specify:	<input type="text"/>
Contributory Cause of Death:	<input type="text"/>
Specify:	<input type="text"/>
Contributory Cause of Death:	<input type="text"/>
Specify:	<input type="text"/>
Has the patient been hospitalized since the last patient status date:*	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
Functional Status:*	<input type="text"/>
	<input type="radio"/> Definite Cognitive delay/impairment
	<input type="radio"/> Probable Cognitive delay/impairment
Cognitive Development:*	<input type="radio"/> Questionable Cognitive delay/impairment
	<input type="radio"/> No Cognitive delay/impairment
	<input type="radio"/> Not Assessed
Motor Development:*	<input type="radio"/> Definite Motor delay/impairment
	<input type="radio"/> Probable Motor delay/impairment
	<input type="radio"/> Questionable Motor delay/impairment
	<input type="radio"/> No Motor delay/impairment

Not Assessed

Academic Progress: *

- Within One Grade Level of Peers
 Delayed Grade Level
 Special Education
 Not Applicable < 5 years old/ High School graduate or GED
 Status Unknown

Academic Activity Level: *

- Full academic load
 Reduced academic load
 Unable to participate in academics due to disease or condition
 Not Applicable < 5 years old/ High School graduate or GED
 Status Unknown

Primary Insurance at Follow-up: *

Specify:

Clinical Information

Date of Measurement:

Height: *

 ft. in. cm

ST=

Weight: *

 lbs. kg

ST=

BMI:

kg/m²

Pathology confirmed liver diagnosis at hospital discharge:

Graft Status: *

- Functioning Failed

If death is indicated for the recipient, and the death was a result of some other factor unrelated to graft failure, select Functioning.

Date of Failure:

Contributory causes of graft failure:

Primary Non-Function:

- YES NO UNK

Hepatic Artery Thrombosis:

- YES NO UNK

Other Vascular Thrombosis:

- YES NO UNK

Hepatic outflow obstruction:

- YES NO UNK

Portal vein thrombosis:

- YES NO UNK

De novo Hepatitis

- YES NO UNK

Recurrent Hepatitis:

- YES NO UNK

Recurrent Disease:

- YES NO UNK

Acute Rejection:

- YES NO UNK

Chronic Rejection:

- YES NO UNK

Infection:

- YES NO UNK

Diffuse Cholangiopathy:

- YES NO UNK

Other, Specify:

Most Recent Lab Data:

Lab Date:

Total Bilirubin: *

 mg/dl

ST=

Serum Creatinine: *

 mg/dl

ST=

New diabetes onset between last follow-up to the current follow-up: *

- YES NO UNK

Insulin dependent:

- YES NO UNK

Did patient have any acute rejection episodes during the follow-up period: *

- Yes, at least one episode treated with anti-rejection agent
 Yes, none treated with additional anti-rejection agent
 No
 Unknown

Viral Detection:

- | | |
|--------------------------|---|
| HIV Serology | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HIV NAT | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HbsAg | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HBV DNA | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HBV Core Antibody | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HCV Serology | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |
| HCV NAT | <input type="radio"/> Positive
<input type="radio"/> Negative
<input type="radio"/> UKN/Cannot Disclose
<input type="radio"/> Not Done |

Post Transplant Malignancy: * YES NO UNK

Donor Related: YES NO UNK

Recurrence of Pre-Tx Tumor: YES NO UNK

De Novo Solid Tumor: YES NO UNK

De Novo Lymphoproliferative disease and Lymphoma: YES NO UNK

Immunosuppressive Information

Previous Validated Maintenance Follow-Up Medications:

Previous Validated Maintenance Follow-Up Medications:

- Were any medications given during the follow-up period for maintenance:**
- Yes, same as validated TRR form
 - None given
 - Yes, but different than validated TRR form

Immunosuppressive Medications

View Immunosuppressive Medications

Definitions Of Immunosuppressive Follow-Up Medications

For each of the immunosuppressant medications listed, check **Previous Maintenance (Prev Maint)**, **Current Maintenance (Curr Maint)** or **Anti-rejection (AR)** to indicate all medications that were prescribed for the recipient during this follow-up period, and for what reason. If a medication was not given, leave the associated box(es) blank.

Previous Maintenance (Prev Maint) includes all immunosuppressive medications given during the report period, which covers the period from the last clinic visit to the current

clinic visit, for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.

Current Maintenance (Curr Maint) includes all immunosuppressive medications given at the current clinic visit to begin in the next report for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.

Anti-rejection (AR) immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode since the last clinic visit (example: Methylprednisolone, Atgam, OKT3, or Thymoglobulin). When switching maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs should not be listed under AR immunosuppression, but should be listed under maintenance immunosuppression.

Note: The Anti-rejection field refers to any anti-rejection medications since the last clinic visit, not just at the time of the current clinic visit.

If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. **Do not list non-immunosuppressive medications.**

Drug used for induction, acute rejection, or maintenance			
	Prev Maint	Curr Maint	AR
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol, Decadron)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drugs used for induction or acute rejection			
	Prev Maint	Curr Maint	AR
Atgam	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Campath (alemtuzumab, anti-CD52)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cytoxan (cyclophosphamide)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OKT3 (Orthoclone, muromonab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rituxan (rituximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Simulect (basiliximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Thymoglobulin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Drugs primarily used for maintenance			
	Prev Maint	Curr Maint	AR
Cyclosporine, select from the following:			
- EON (generic cyclosporine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Gengraf (Abbott cyclosporine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Neoral (CyA-NOF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Other generic cyclosporine, specify brand: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Sandimmune (cyclosporine A)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Imuran (azathioprine, AZA)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Leflunomide (LFL)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mycophenolate acid, select from the following:			
- CellCept (MMF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic MMF (generic CellCept)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Myfortic (mycophenolate acid)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Nulojix (belatacept)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rapamune (sirolimus, Rapamycin)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tacrolimus, select from the following:			
- Astagraf XL (extended release tacrolimus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic tacrolimus (generic Prograf)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Prograf (FK506)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zortress (everolimus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Other drugs			
	Prev Maint	Curr Maint	AR
Other immunosuppressive medication, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other immunosuppressive medication, specify: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>