

# Records

## Pediatric Pancreas Transplant Recipient Follow-Up Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 07/31/2020

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI® application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI® application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
<b>Name:</b>	<b>DOB:</b>
<b>SSN:</b>	<b>Gender:</b>
<b>HIC:</b>	<b>Tx Date:</b>
<b>Previous Follow-Up:</b>	<b>Previous Px Stat Date:</b>
<b>Transplant Discharge Date:</b>	<input type="text"/>
<b>State of Permanent Residence:*</b>	<input type="text"/>
<b>Zip Code:*</b>	<input type="text"/> - <input type="text"/>

Provider Information	
<b>Recipient Center:</b>	
<b>Followup Center:</b>	
<b>Physician Name:*</b>	<input type="text"/>
<b>NPI#:*</b>	<input type="text"/>
<b>Follow-up Care Provided By:*</b>	<input type="radio"/> Transplant Center <input type="radio"/> Non Transplant Center Specialty Physician <input type="radio"/> Primary Care Physician <input type="radio"/> Other Specify
<b>Specify:</b>	<input type="text"/>

Donor Information	
<b>UNOS Donor ID #:</b>	
<b>Recovering OPO:</b>	
<b>Donor Type:</b>	

Patient Status	
<b>Date: Last Seen, Retransplanted or Death*</b>	<input type="text"/>
<b>Patient Status:*</b>	<input type="radio"/> LIVING <input type="radio"/> DEAD <input type="radio"/> RETRANSPLANTED <input type="radio"/> NOT SEEN
<b>Primary Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Contributory Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Contributory Cause of Death:</b>	<input type="text"/>
<b>Specify:</b>	<input type="text"/>
<b>Has the patient been hospitalized since the last patient status date:*</b>	<input type="radio"/> YES <input type="radio"/> NO <input type="radio"/> UNK
<b>Functional Status:*</b>	<input type="text"/>
<b>Cognitive Development:*</b>	<input type="radio"/> Definite Cognitive delay/impairment <input type="radio"/> Probable Cognitive delay/impairment <input type="radio"/> Questionable Cognitive delay/impairment <input type="radio"/> No Cognitive delay/impairment <input type="radio"/> Not Assessed
<b>Motor Development:*</b>	<input type="radio"/> Definite Motor delay/impairment <input type="radio"/> Probable Motor delay/impairment <input type="radio"/> Questionable Motor delay/impairment <input type="radio"/> No Motor delay/impairment

Not Assessed

Academic Progress: \*

- Within One Grade Level of Peers
- Delayed Grade Level
- Special Education
- Not Applicable < 5 years old/ High School graduate or GED
- Status Unknown

Academic Activity Level: \*

- Full academic load
- Reduced academic load
- Unable to participate in academics due to disease or condition
- Not Applicable < 5 years old/ High School graduate or GED
- Status Unknown

Primary Insurance at Follow-up: \*

Specify:

Clinical Information

Date of Measurement:

Height: \*

 ft. in. cm

ST=

Weight: \*

 lbs. kg

ST=

BMI:

kg/m<sup>2</sup>

Graft Status: \*

- Functioning  Failed

If death is indicated for the recipient, report graft status up until the instance of death.

Patient using any method of blood sugar control:

- YES  NO  UNK

Patient on oral medication to control blood sugar? \*

- YES  NO  UNK

Date of medications resumed: \*

ST=

Patient using diet to control blood sugar: \*

- YES  NO  UNK

Patient on insulin? \*

- YES  NO  UNK

Date insulin resumed: \*

ST=

Total insulin dosage units: \*

ST=

Insulin duration of use: \*

 days

ST=

C-peptide value:

 ng/mL

ST=

HbA1c:

 %

ST=

Date of Failure:

Primary Cause of Graft Failure:

Other, Specify:

Graft/Vascular Thrombosis:

- YES  NO  UNK

Infection:

- YES  NO  UNK

Bleeding:

- YES  NO  UNK

Anastomotic Leak:

- YES  NO  UNK

Acute Rejection:

- YES  NO  UNK

Chronic Rejection:

- YES  NO  UNK

Biopsy Proven Isletitis:

- YES  NO  UNK

Pancreatitis:

- YES  NO  UNK

Patient Noncompliance

- YES  NO  UNK

Other, Specify:

Conv. From Bladder to Enteric Drain Performed: \*

- YES  NO  UNK

If Yes, Enteric Drainage Date:

Most Recent Serum Creatinine: \*

 mg/dl

ST=

Pancreas Transplant Complications (Not leading to graft failure):

Pancreatitis:\*  YES  NO  UNK

Anastomotic Leak:\*  YES  NO  UNK

Abscess or Local Infection:\*  YES  NO  UNK

Other Complications:

Did patient have any acute rejection episodes during the follow-up period:\*  Yes, at least one episode treated with anti-rejection agent  
 Yes, none treated with additional anti-rejection agent  
 No  
 Unknown

Viral Detection:

HIV Serology  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HIV NAT  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HbsAg  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HBV DNA  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HBV Core Antibody  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HCV Serology  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

HCV NAT  Positive  
 Negative  
 UKN/Cannot Disclose  
 Not Done

Post Transplant Malignancy:\*  YES  NO  UNK

Donor Related:  YES  NO  UNK

Recurrence of Pre-Tx Tumor:  YES  NO  UNK

De Novo Solid Tumor:  YES  NO  UNK

De Novo Lymphoproliferative disease and Lymphoma:  YES  NO  UNK

Immunosuppressive Information

Previous Validated Maintenance Follow-Up Medications:

**Previous Validated Maintenance Follow-Up Medications:**

- Were any medications given during the follow-up period for maintenance:
- Yes, same as validated TRR form  
 None given  
 Yes, but different than validated TRR form

**Immunosuppressive Medications**

**View Immunosuppressive Medications**

**Definitions Of Immunosuppressive Follow-Up Medications**

For each of the immunosuppressant medications listed, check **Previous Maintenance (Prev Maint)**, **Current Maintenance (Curr Maint)** or **Anti-rejection (AR)** to indicate all medications that were prescribed for the recipient during this follow-up period, and for what reason. If a medication was not given, leave the associated box(es) blank.

**Previous Maintenance (Prev Maint)** includes all immunosuppressive medications given during the report period, which covers the period from the last clinic visit to the current clinic visit, for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.

**Current Maintenance (Curr Maint)** includes all immunosuppressive medications given at the current clinic visit to begin in the next report for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes.

**Anti-rejection (AR)** immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode since the last clinic visit (example: Methylprednisolone, Atgam, OKT3, or Thymoglobulin). When switching maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs should not be listed under AR immunosuppression, but should be listed under maintenance immunosuppression.

**Note: The Anti-rejection field refers to any anti-rejection medications since the last clinic visit, not just at the time of the current clinic visit.**

If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. **Do not list non-immunosuppressive medications.**

**Drug used for induction, acute rejection, or maintenance**

	Prev Maint	Curr Maint	AR
Steroids (prednisone, methylprednisolone, Solumedrol, Medrol, Decadron)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Drugs used for induction or acute rejection**

	Prev Maint	Curr Maint	AR
Atgam	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Campath (alemtuzumab, anti-CD52)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Cytosan (cyclophosphamide)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Methotrexate (Folex PFS, Mexate-AQ, Rheumatrex)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
OKT3 (Orthoclone, muromonab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rituxan (rituximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Simulect (basiliximab)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Thymoglobulin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Drugs primarily used for maintenance**

	Prev Maint	Curr Maint	AR
<b>Cyclosporine, select from the following:</b>			
- EON (generic cyclosporine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Gengraf (Abbott cyclosporine)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Neoral (CyA-NOF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Other generic cyclosporine, specify brand: <input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Sandimmune (cyclosporine A)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Imuran (azathioprine, AZA)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Leflunomide (LFL)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Mycophenolate acid, select from the following:</b>			
- CellCept (MMF)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic MMF (generic CellCept)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Myfortic (mycophenolate acid)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Nulojix (belatacept)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Rapamune (sirolimus, Rapamycin)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Tacrolimus, select from the following:</b>			
- Astagraf XL (extended release tacrolimus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Generic tacrolimus (generic Prograf)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
- Prograf (FK506)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Zortress (everolimus)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Other drugs**

Prev Maint                      Curr Maint                      AR

Other immunosuppressive medication, specify:	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other immunosuppressive medication, specify:	<input type="text"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>